

# Product Specification PDF

Date	<b>Correct as of 14th Jun 2023</b>
Brand	<b>C.K</b>
Product	<b>MA2635</b>
Description	<b>C.K Magma Rucksack Plus</b>
Barcode	<b>5013969962703</b>
Commodity code	<b>4202929110</b>
Country of origin	<b>CN</b>



## Features & Benefits

C.K Magma combines optimal functionality with creative style to deliver a range of eye-catching, premium quality products that are truly smarter by design. Developed in collaboration with an extensive panel of cross trade professionals, C.K Magma products are designed to get the job done in style. With its modern and contemporary look, C.K Magma is the preferred choice of trade professionals who aspire to look good both at work and at leisure. Built to survive the rigours of every day work, C.K Magma products provide all the functionality, comfort and protection trade professionals need. C.K Magma products are made of durable polyester and have a bright red inner lining for easy visibility of stored items. ~ 100% waterproof and crackproof polymer base ~ Lockable zip system for extra security on the move ~ Contoured shape base for additional comfort ~ Vertical storage pockets for easy tool access ~ Extra back padding with reinforced shoulder straps ~ 39 pockets and holders including space in the base for larger tools ~ Padded front storage pocket for iPad / A4 Notepad ~ Dimensions: 470 x 400 x 200 mm (h/w/d) ~ Recommended max Loading 15kgs

## Applicable Standards

### Warranty

C.K Magma products are guaranteed for 1year against imperfect materials or workmanship. Damage caused through normal wear and tear or resulting from inappropriate use, is not covered.

## Product Weights and Measures

	Product only	Product & primary packaging	Secondary packaging	Transit packaging
Item Quantity	1	1	0	4
Width mm	400	400	0	600
Depth mm	200	200	0	490
Height mm	470	470	0	410
Weight	2150	2245	0	9
Packaging Information	Card use	Card	0	Case
	Card gms	80	0	1007
	Plastic use	Poly bag PE	0	-
	Plastic gms	15	0	0
	Metal use	0	0	-
	Metal gms	0	0	0
	Timber use	0	0	-
	Timber gms	0	0	0

# Product Specification PDF

Date	<b>Correct as of 14th Jun 2023</b>
Brand	<b>C.K</b>
Product	<b>T3671A</b>
Description	<b>Ratchet Crimping Plier Solar PV 250mm 2K</b>
Barcode	<b>5013969246520</b>
Commodity code	<b>8203200000</b>
Country of origin	<b>TW</b>



## Features & Benefits

Designed for the safe and secure crimping of Solar PV cable connectors Capacity MC3 and MC4 2.5

- 6mm  $\diamond$  / 14
- 10 AWG Auto-stop ratchet system releases when correct pressure is applied to ensure precise crimping High compression pressure for secure crimping Precision engineered dies for quality crimps and safe connections Dies manufactured from fully hardened carbon alloy steel for strength and durability Heavy duty construction, tested up to 40,000 cycles Ergonomic two component handle for ease and comfort in use

## Product Weights and Measures

	Product only	Product & primary packaging	Secondary packaging	Transit packaging
Item Quantity	1	1	0	36
Width mm	80	94	-	272
Depth mm	25	32	-	445
Height mm	250	253	-	303
Weight	553	603	-	22.3
Packaging Information	Card use	box	-	Carton
	Card gms	50	0	429
	Plastic use	-	-	-
	Plastic gms	0	0	60
	Metal use	-	-	-
	Metal gms	0	0	0
	Timber use	-	-	-
	Timber gms	0	0	0

# Product Specification PDF

Date	<b>Correct as of 14th Jun 2023</b>
Brand	<b>C.K</b>
Product	<b>T3963</b>
Description	<b>Cable Cutter 210mm</b>
Barcode	<b>5013969901504</b>
Commodity code	<b>8203200000</b>
Country of origin	<b>JP</b>



## Features & Benefits

~ Special alloy steel construction ~ Razor sharp, induction hardened cutting edges for outstanding cutting performance ~ Shearing action for clean cut results ~ Special profile blade for effective cable cutting & wire stripping ~ Suitable for copper & aluminium wire only ~ Capacity: 11 mm Ø ~ Total length: 210 mm

## Warranty

C.K products are guaranteed for 1year against imperfect materials or workmanship. Damage caused through normal wear and tear or resulting from inappropriate use, is not covered.

## Product Weights and Measures

	Product only	Product & primary packaging	Secondary packaging	Transit packaging
Item Quantity	1	1	3	60
Width mm	80	80	63	300
Depth mm	20	17	283	350
Height mm	270	270	80	300
Weight	289	314	1005	20.1
Packaging Information	Card use	Backing card	Box	Case
	Card gms	14	86	398
	Plastic use	Clamshell HDPE	0	-
	Plastic gms	11	0	0
	Metal use	0	0	-
	Metal gms	0	0	0
	Timber use	0	0	-
	Timber gms	0	0	0

# Product Specification PDF

Date	Correct as of 14th Jun 2023
Brand	Jokari
Product	T30190
Description	Jokari SE-Strip Wire Stripper 2.5 - 6mm
Barcode	4011391301900
Commodity code	8203200000
Country of origin	DE



Features & Benefits	For all common security and energy cables, e.g. halogenfree cables, flame-retardant cables, Solar cables, short-circuit and earthing protection cables, NSGAFÖU, VER H07RN-F, electrical engineering, Electrical industry, chemical oil industry, petro chemistry, solar industry. ~ Insulation Stripping Tool for security and energy cables ~ No adjustment of cutting depth necessary ~ Including series wire stopper / length scale 8-10-12 mm ~ With pocket clip ~ TÜV / GS-approved ~ Capacities: 2,5 ~ 6,0 mm <sup>2</sup> / 7,5 ~ 9,5 mm Ø
Applicable Standards	TUV/GS
Health & Safety	Never use tool on or near Live electrical circuits
Warranty	Jokari products are guaranteed for 1year against imperfect materials or workmanship. Damage caused through normal wear and tear or resulting from inappropriate use, is not covered.

## Product Weights and Measures

	Product only	Product & primary packaging	Secondary packaging	Transit packaging
Item Quantity	1	1	18	72
Width mm	125	258	215	400
Depth mm	25	81	320	400
Height mm	40	30	125	400
Weight	22	39	615	7.4
Packaging Information	Card use	Backing Card	Box	Case
	Card gms	9	189	653
	Plastic use	Blister LDPE	0	-
	Plastic gms	8	0	0
	Metal use	0	0	-
	Metal gms	0	0	0
	Timber use	0	0	-
	Timber gms	0	0	0

# Product Specification PDF

Date	<b>Correct as of 14th Jun 2023</b>
Brand	<b>C.K</b>
Product	<b>T4348</b>
Description	<b>MC4 Solar Connection Spanner 1000V</b>
Barcode	<b>5013969248616</b>
Commodity code	<b>8204110000</b>
Country of origin	<b>CN</b>



## Product Weights and Measures

	Product only	Product & primary packaging	Secondary packaging	Transit packaging
Item Quantity	1	1	0	400
Width mm	30	100	0	380
Depth mm	8	8	0	340
Height mm	100	180	0	440
Weight	26	38	0	15.8
Packaging Information	Card use	Header card	0	Case
	Card gms	4	0	600
	Plastic use	PVC wallet	0	-
	Plastic gms	8	0	60
	Metal use	0	0	-
	Metal gms	0	0	0
	Timber use	0	0	-
	Timber gms	0	0	0

# Product Specification PDF

Date	<b>Correct as of 14th Jun 2023</b>
Brand	<b>C.K</b>
Product	<b>T4348 2</b>
Description	<b>MC4 Solar Connection Spanner 1500V</b>
Barcode	<b>5013969248654</b>
Commodity code	<b>8204110000</b>
Country of origin	<b>CN</b>



## Product Weights and Measures

	Product only	Product & primary packaging	Secondary packaging	Transit packaging
Item Quantity	1	1	0	330
Width mm	30	100	0	380
Depth mm	8	8	0	340
Height mm	100	180	0	440
Weight	31	43	0	14.8
Packaging Information	Card use	Header card	0	Case
	Card gms	4	0	600
	Plastic use	PVC wallet	0	-
	Plastic gms	8	0	60
	Metal use	0	0	-
	Metal gms	0	0	0
	Timber use	0	0	-
	Timber gms	0	0	0

# Product Specification PDF

Date	<b>Correct as of 14th Jun 2023</b>
Brand	<b>C.K</b>
Product	<b>T49143-2</b>
Description	<b>Dextro VDE Screwdriver PZ2x100</b>
Barcode	<b>5013969703955</b>
Commodity code	<b>8205400000</b>
Country of origin	<b>DE</b>



Features & Benefits	~ Tip type marking for easy identification ~ Ergonomically shaped, dual component handle for increased comfort, control & safety ~ Long fine neck for precise fingertip control ~ Ridges along the head give extra grip in that last 1/4 turn ~ Handle injection moulded directly to blade giving the ultimate bond for increased reliability & durability ~ Premium quality Chrome Vanadium steel blade for exceptional strength & durability ~ Precision machined tip for an exact screw fit & damage free screwdriving ~ VDE approved ~ individually tested to 10,000V for safe live working up to 1,000V ~ According to EN 60900 / VDE0682/201, DIN ISO 8764 ~ Size: PZ 2 ~ Visible blade length: 100 mm ~ Overall length: 220 mm
Applicable Standards	BS EN 60900 , VDE 682/201, ASTM-F 1505, DIN ISO 8764
Health & Safety	Users are advised to regularly examine their VDE tools, Even the slightest damage can compromise the insulation integrity and potentially expose the user to the risk of injury or even death
Warranty	C.K products are guaranteed for 1year against imperfect materials or workmanship. Damage caused through normal wear and tear or resulting from inappropriate use, is not covered.

## Product Weights and Measures

	Product only	Product & primary packaging	Secondary packaging	Transit packaging
Item Quantity	1	1	6	120
Width mm	37	37	100	310
Depth mm	30	30	223	460
Height mm	220	220	35	260
Weight	92	93	612	12.2
Packaging Information	Card use	swing tag	Box	Case
	Card gms	1	46	432
	Plastic use	0		-
	Plastic gms	0	0	0
	Metal use	0	0	-
	Metal gms	0	0	0
	Timber use	0	0	-
	Timber gms	0	0	0

# Product Specification PDF

Date	<b>Correct as of 14th Jun 2023</b>
Brand	<b>C.K</b>
Product	<b>T49144-040</b>
Description	<b>Dextro VDE Screwdriver SLP 4x100</b>
Barcode	<b>5013969704013</b>
Commodity code	<b>8205400000</b>
Country of origin	<b>DE</b>



Features & Benefits	~ Tip type marking for easy identification ~ Ergonomically shaped, dual component handle for increased comfort, control & safety ~ Long fine neck for precise fingertip control ~ Ridges along the head give extra grip in that last 1/4 turn ~ Handle injection moulded directly to blade giving the ultimate bond for increased reliability & durability ~ Premium quality Chrome Vanadium steel blade for exceptional strength & durability ~ Precision machined tip for an exact screw fit & damage free screwdriving ~ VDE approved ~ individually tested to 10,000V for safe live working up to 1,000V ~ According to EN 60900 / VDE0682/201, ISO 2380-2 ~ Blade width: 4,0 mm ~ Visible blade length: 100 mm ~ Overall length: 207 mm
Applicable Standards	BS EN 60900 , VDE 682/201, ASTM-F 1505, ISO 2380-2
Health & Safety	Users are advised to regularly examine their VDE tools, Even the slightest damage can compromise the insulation integrity and potentially expose the user to the risk of injury or even death
Warranty	C.K products are guaranteed for 1year against imperfect materials or workmanship. Damage caused through normal wear and tear or resulting from inappropriate use, is not covered.

## Product Weights and Measures

	Product only	Product & primary packaging	Secondary packaging	Transit packaging
Item Quantity	1	1	6	180
Width mm	33	33	80	310
Depth mm	27	27	210	460
Height mm	207	207	35	260
Weight	58	59	401	12
Packaging Information	Card use	swing tag	Box	Case
	Card gms	1	39	432
	Plastic use	0	0	-
	Plastic gms	0	0	0
	Metal use	0	0	-
	Metal gms	0	0	0
	Timber use	0	0	-
	Timber gms	0	0	0



# Product Specification PDF

Date	<b>Correct as of 14th Jun 2023</b>
Brand	<b>C.K</b>
Product	<b>T4659</b>
Description	<b>Coloured SureDrive 3/8in Socket &amp; Spanner Set 12pc</b>
Barcode	<b>5013969245301</b>
Commodity code	<b>8204200000</b>
Country of origin	<b>TW</b>



Features & Benefits	<p>12 piece professional colour coded socket and spanner set</p> <ul style="list-style-type: none"> <li>- 72 tooth ratchet wrench. High torque 12 point sure drive sockets. Apply torque to the flat of the nut rather than the corners to avoid rounding off. Forged Chrome Vanadium steel for superior strength &amp; durability.</li> <li>Contents</li> <li>- Sockets</li> <li>- 8, 10, 13, 15, 17mm Combination spanners</li> <li>- 8, 10, 13, 15, 17mm Short extension</li> </ul>
Warranty	<p>C.K products are guaranteed for 1year against imperfect materials or workmanship. Damage caused through normal wear and tear or resulting from inappropriate use, is not covered.</p>

## Product Weights and Measures

	Product only	Product & primary packaging	Secondary packaging	Transit packaging
Item Quantity	1	1	0	10
Width mm	260	235	0	315
Depth mm	235	60	0	285
Height mm	60	260	0	480
Weight	1500	1540.5	0	15.3
Packaging Information	Card use	Colour Card Sleeve	0	Outer Carton
	Card gms	40.5	0	540
	Plastic use	0	0	-
	Plastic gms	0	0	0
	Metal use	0	0	-
	Metal gms	0	0	0
	Timber use	0	0	-
	Timber gms	0	0	0

# Product Specification PDF

Date	<b>Correct as of 14th Jun 2023</b>
Brand	<b>C.K</b>
Product	<b>T4406</b>
Description	<b>Hexagon Key Metric Folding Set of 8</b>
Barcode	<b>5013969245004</b>
Commodity code	<b>8204110000</b>
Country of origin	<b>TW</b>



Features & Benefits	~ Professional quality fully hardened chrome vanadium CrV steel blades ~ Dual component holder for convenient storage
Warranty	C.K products are guaranteed for 1year against imperfect materials or workmanship. Damage caused through normal wear and tear or resulting from inappropriate use, is not covered.

## Product Weights and Measures

	Product only	Product & primary packaging	Secondary packaging	Transit packaging
Item Quantity	1	1	24	96
Width mm	25	45	230	250
Depth mm	38	40	190	395
Height mm	114	157	95	230
Weight	155	165	4060	16.3
Packaging Information	Card use	0	box	Case
	Card gms	0	98	311
	Plastic use	Hanger PP	0	-
	Plastic gms	10	0	0
	Metal use	0	0	-
	Metal gms	0	0	0
	Timber use	0	0	-
	Timber gms	0	0	0

# Product Specification PDF

Date	<b>Correct as of 14th Jun 2023</b>
Brand	<b>C.K</b>
Product	<b>T4514</b>
Description	<b>Magnetic Nut Drivers Set/7</b>
Barcode	<b>5013969996821</b>
Commodity code	<b>8205400000</b>
Country of origin	<b>TW</b>



Features & Benefits	~ For fast and effective driving of hex head screw fixings ~ Forged alloy steel for strength and durability ~ Drive shaft conforms to DIN 3126 E6.3 and ISO 1173 ~ Colour coded for convenience ~ Contents: 7 / 8 / 10 / 11 / 13 mm ~ 1/4" & 3/8"
Warranty	C.K products are guaranteed for 1year against imperfect materials or workmanship. Damage caused through normal wear and tear or resulting from inappropriate use, is not covered.

## Product Weights and Measures

	Product only	Product & primary packaging	Secondary packaging	Transit packaging
Item Quantity	1	1	12	48
Width mm	105	150	280	400
Depth mm	60	40	225	350
Height mm	40	150	140	300
Weight	255	280	3440	14.1
Packaging Information	Card use	Card	Box	Case
	Card gms	15	158	495
	Plastic use	Blister LDPE	0	-
	Plastic gms	10	0	0
	Metal use	0	0	-
	Metal gms	0	0	0
	Timber use	0	0	-
	Timber gms	0	0	0

# Product Specification PDF

Date	<b>Correct as of 14th Jun 2023</b>
Brand	<b>C.K</b>
Product	<b>T3448 25</b>
Description	<b>XT Tape Measure 7.5M 25FT</b>
Barcode	<b>5013969704990</b>
Commodity code	<b>9017801000</b>
Country of origin	<b>CN</b>



Features & Benefits	~ Rubber casing □ for a strong grip impact resistance ~ Nylon coated blade □ superior abrasion resistance & durability ~ Double sided blade markings □ for regular, overhead & vertical measuring ~ Manual blade lock □ powerful and non-slip ~ Express blade brake □ instant locking ~ Dual function end hook □ top and bottom hooks for convenience ~ Shock absorbing device at the blade retraction hole ~ Metal belt clip ~ Accuracy Class II ~ Length: 7,5 meter / 25 ft ~ Band width: 27 mm
Applicable Standards	2014/22/EC Class 2
Warranty	C.K products are guaranteed for 1year against imperfect materials or workmanship. Damage caused through normal wear and tear or resulting from inappropriate use, is not covered.

## Product Weights and Measures

	Product only	Product & primary packaging	Secondary packaging	Transit packaging
Item Quantity	1	1	6	48
Width mm	81	120	220	390
Depth mm	47	60	130	420
Height mm	80	150	180	280
Weight	490	506	3276	26.4
Packaging Information	Card use	Backing card	Box	Case
	Card gms	2	99	510
	Plastic use	Blister LDPE	0	-
	Plastic gms	14	0	0
	Metal use	0	0	-
	Metal gms	0	0	0
	Timber use	0	0	-
	Timber gms	0	0	0