

## HWP2 Patio Heater

- Safe, instant outdoor heating
- Equally suitable for commercial or domestic installations
- Can be installed outdoors and left outdoors all year round

### Typical Applications

- Patios – both commercial and domestic
- Pub gardens
- Pavement cafes
- Golf driving ranges
- Nightclub queuing areas
- Smoking areas

### Features

- IP55 rated for outdoor use – equally suited to indoor applications
- Aluminium construction with stainless steel safety grille
- Stylish design with choice of black, white or silver paint finish
- High quality replaceable halogen lamp with an average 7000 hours operating life
- Wall mounting bracket with 'up and down' angle adjustment supplied as standard
- Parasol clamp supplied as standard with single lamp heaters
- Suitable for suspension
- Pre-wired 3m high temperature cable




HWP2-B




HWP2-S



HWP2-W



HWP2-2B



HWP2-2W



HWP2-3B



HWP2-3W



HWP2-45B



Instant comfort heat in a gazebo



2kW patio heaters keeping golfers warm at a driving range

Standard Heaters - Range			
Model	kW	Finish	Lamp Glow
HWP2-B	1.5	Black	Gold
HWP2-W	1.5	White	Gold
HWP2-S	1.5	Silver	Gold
HWP2-2B	2.0	Black	Red
HWP2-2W	2.0	White	Red
HWP2-3B	3.0	Black	Red
HWP2-3W	3.0	White	Red
HWP2-45B	4.5	Black	Red

Magic Lamp Heaters - Range			
Model	kW	Finish	Lamp Glow
HWP2-BM	1.5	Black	Magic Lamp
HWP2-WM	1.5	White	Magic Lamp
HWP2-SM	1.5	Silver	Magic Lamp
HWP2-2BM	2.0	Black	Magic Lamp
HWP2-2WM	2.0	White	Magic Lamp
HWP2-3BM	3.0	Black	Magic Lamp
HWP2-3WM	3.0	White	Magic Lamp
HWP2-45BM	4.5	Black	Magic Lamp


Optional Accessories		
Description	Model	Details
Dimmer (3kW max)	VR-2	Page 78
Push Button Timer (3kW max)	TS-6	Page 75
Push Button Timer (6kW max)	TS-7	Page 75
Movement Sensor (3kW max)	WH-402	Page 78

A Soft Start Relay can prolong lamp life – see page 79



A Battersea bistro providing a warm outdoor dining area

A 3kW heater suspended



Our patio heaters are now available in

*magic*

L A M P

FORMAT




All the performance of a conventional shortwave halogen heater but producing the gentlest pink glow

Continued...


## HWP2 Patio Heaters Continued

Area Coverage – Wall mounted					
kW	H (m)	X (m)	Y (m)	Z (m)	Area (m <sup>2</sup> )
1.5 or 2kW	2.0	2.3	2.4	4.0	7.6
1.5 or 2kW	2.5	3.0	3.0	5.2	12.3
3.0	2.0	3.4	2.4	4.5	9.5
3.0	2.5	4.2	3.0	5.8	15.0
4.5	2.0	4.3	2.4	5.0	11.2
4.5	2.5	4.8	3.0	6.4	16.8



Area Coverage – Overhead Mounted				
kW	H (m)	X (m)	Y (m)	Area (m <sup>2</sup> )
1.5 or 2kW	2.0	3.6	2.5	9.0
1.5 or 2kW	2.5	4.8	3.5	16.8
3.0	2.0	4.3	2.5	10.7
3.0	2.5	5.2	3.5	18.2
4.5	2.0	4.8	2.5	12.0
4.5	2.5	5.6	3.5	19.6

HWP2-S heaters providing instant heat in the smartest-looking smoking area we have ever seen!



Technical Specification					
kW	Volts	Dimensions(mm)			Weight (kg)
		H	W	D	
1.5kW	230	120	480	140	1.7
2kW	230	120	480	140	1.7
3kW	230	120	960	140	3.2
4.5kW	230/400	120	1440	140	4.9



Patio heaters installed with timers to ensure running costs are kept to a minimum

Choice of finishes to match building aesthetics