

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

EVO-STIK STICKS LIKE ADHESIVE WHITE Supercedes Date: 15-Dec-2022 Revision date 16-Mar-2023 Revision Number 5.02

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1	.1	.	Pı	od	uct	identifier

Product Name EVO-STIK STICKS LIKE ADHESIVE WHITE

Pure substance/mixture Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use	Adhesives

Uses advised against None known

1.3. Details of the supplier of the safety data sheet

Company Name Bostik Limited Common Rd ST16 3EH Stafford UK Tel: +44 (1785) 27 26 25 Fax: +44 (1785) 25 72 36

E-mail address

SDS.box-EU@bostik.com

1.4. Emergency telephone number

United Kingdom

Bostik: +44 (1785) 272650 (9am to 5pm Mon-Fri) NHS: 111

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP]

2.2. Label elements

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP]

Signal word None

Hazard statements

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP]

EU Specific Hazard Statements

EUH208 - Contains Trimethoxyvinylsilane & Dioctyltinbis(acetylacetonate). May produce an allergic reaction

Precautionary Statements - EU (§28, 1272/2008)

P101 - If medical advice is needed, have product container or label at hand

EVO-STIK STICKS LIKE ADHESIVE WHITE

Supercedes Date: 15-Dec-2022

P102 - Keep out of reach of children

2.3. Other hazards

Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon curing. Harmful to aquatic life.

PBT & vPvB

This mixture contains no substance considered to be persistent, bioaccumulating or toxic (PBT). This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable

3.2 Mixtures

Chemical name	EC No (EU Index No)	CAS No	Weight-%	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	REACH registration number
Hydrocarbons, C15-C20, n-alkanes, isoalkanes, cyclics, < 0.03% aromatics	934-956-3	RR-100252-4	5 - <10	Asp. Tox. 1 (H304)	-	01-2119827000- 58-XXXX
Trimethoxyvinylsilane	(014-049-00- 0) 220-449-8	2768-02-7	1 - <2.5	Skin Sens. 1B (H317) Acute Tox. 4 (H332) Flam. Liq. 3 (H226)	-	01-2119513215- 52-XXXX
Titanium dioxide	(022-006-00- 2) 236-675-5	13463-67-7	0.1- <1	[C]	-	01-2119489379- 17-XXXX
Bis(2,2,6,6-tetramethyl-4 -piperidyl) sebacate	258-207-9	52829-07-9	0.1- <1	Eye Dam. 1 (H318) Repr. 2 (H361f) Aquatic Acute 1 (H400) Aquatic Chronic 2 (H411)		01-2119537297- 32-XXXX
Dioctyltinbis(acetylaceto nate)	483-270-6	54068-28-9	0.1 - <0.5	STOT SE 2 (H371) Skin Sens. 1 (H317)	Skin Sens. 1 :: C>=5%	01-0000020199- 67-XXXX

Classification according to Regulation (EC) No. 1272/2008 [CLP] - Notes

[C] - Components with occupational exposure limits and/or biological occupational exposure limits requiring monitoring

Full text of H- and EUH-phrases: see section 16

Substances identified by a number starting "RR-" in the CAS-field are substances for which there is no CAS# used in EU and we use an internal numbering system to track within our SDS software

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

EVO-STIK STICKS LIKE ADHESIVE WHITE

Supercedes Date: 15-Dec-2022

Notes

See section 16 for more information

Chemical name	Notes	
Titanium dioxide - 13463-67-7	V,W,10	

SECTION 4: First aid measures					
4.1. Description of first aid measures					
General advice	If medical advice is needed, have product container or label at hand.				
Inhalation	Remove to fresh air. IF exposed or concerned: Get medical advice/attention.				
Eye contact	Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a doctor.				
Skin contact	Wash skin with soap and water. In the case of skin irritation or allergic reactions see a doctor.				
Ingestion	Clean mouth with water. Do NOT induce vomiting. Drink 1 or 2 glasses of water. Never give anything by mouth to an unconscious person.				
4.2. Most important symptoms and	d effects, both acute and delayed				
Symptoms	No information available.				
4.3. Indication of any immediate m	edical attention and special treatment needed				
Note to doctors	No information available.				
SECTION 5: Firefighting me	asures				
5.1. Extinguishing media					
Suitable Extinguishing Media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.				
Unsuitable extinguishing media	Full water jet.				
5.2. Special hazards arising from the substance or mixture					
olar oppolial haaal do allollig holling					
Specific hazards arising from the chemical	No information available.				
Specific hazards arising from the					
Specific hazards arising from the chemical	No information available.				
Specific hazards arising from the chemical Hazardous combustion products	No information available. Carbon oxides. Carbon monoxide. Carbon dioxide (CO2). Silicon dioxide.				

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Ensure adequate ventilation.

EVO-STIK STICKS LIKE ADHESIVE WHITE Supercedes Date: 15-Dec-2022

For emergency responders	Use personal protection recommended in Section 8.
6.2. Environmental precautions	
Environmental precautions	See Section 12 for additional Ecological Information.
6.3. Methods and material for conta	ainment and cleaning up
Methods for containment	Do not scatter spilled material with high pressure water streams.
Methods for cleaning up	Take up mechanically, placing in appropriate containers for disposal.
Prevention of secondary hazards	Clean contaminated objects and areas thoroughly observing environmental regulations.
6.4. Reference to other sections	
Reference to other sections	See section 8 for more information. See section 13 for more information.
SECTION 7: Handling and st	orage
7.1. Precautions for safe handling	_
Advice on safe handling	Ensure adequate ventilation.
General hygiene considerations	Handle in accordance with good industrial hygiene and safety practice.
7.2. Conditions for safe storage, in	cluding any incompatibilities
Storage Conditions	Keep away from food, drink and animal feedingstuffs. Keep from freezing.
Recommended storage temperature	Do not freeze.
7.3. Specific end use(s)	
Specific use(s) Adhesives.	
Risk Management Methods (RMM)	The information required is contained in this Safety Data Sheet.
Other information	Observe technical data sheet.
SECTION 8. Exposure control	ols/personal protection

8.1. Control parameters

Exposure Limits

Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon curing This product contains titanium dioxide in a non-respirable form. Inhalation of titanium dioxide is unlikely to occur from exposure to this product

Chemical name	European Union	United Kingdom
Limestone	-	TWA: 10 mg/m ³
1317-65-3		TWA: 4 mg/m ³
		STEL: 30 mg/m ³
		STEL: 12 mg/m ³
Hydrocarbons, C15-C20, n-alkanes, isoalkanes, cyclics,	TWA/8h	-
< 0.03% aromatics	5mg/m ³	
RR-100252-4	STEL/15 mins 10mg/m ³	
Titanium dioxide	-	TWA: 10 mg/m ³
13463-67-7		TWA: 4 mg/m ³
		STEL: 30 mg/m ³
		STEL: 12 mg/m ³

EVO-STIK STICKS LIKE ADHESIVE WHITE

Supercedes Date: 15-Dec-2022

Dioctyltinbis(acetylacetonate)	-	TWA: 0.1 mg/m ³
54068-28-9		STEL: 0.2 mg/m ³
		Sk*

Derived No Effect Level (DNEL) No information available

Derived No Effect Level (DNEL)				
Trimethoxyvinylsilane (2768-02-7				
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor	
worker Systemic health effects Long term	Inhalation	27,6 mg/m³		
worker Systemic health effects Long term	Dermal	3,9 mg/kg bw/d		

Titanium dioxide (13463-67-7)					
Туре	Exposure route	Derived No Effect Level	Safety factor		
	-	(DNEL)			
worker	Inhalation	10 mg/m³			
Long term		-			
Local health effects					

Bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate (52829-07-9)					
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor		
worker Short term Long term Systemic health effects	Inhalation	2.82 mg/m³			
worker Long term Systemic health effects	Dermal	1.6 mg/kg			

Dioctyltinbis(acetylacetonate) (54068-28-9)					
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor		
Long term Systemic health effects worker	Dermal	0.07 mg/kg bw/d			
Long term Systemic health effects worker	Inhalation	84 mg/m³			
Short term Systemic health effects worker	Inhalation	84 mg/m³			
Long term Short term Local health effects worker	Inhalation	0.091 mg/m³			

Derived No Effect Level (DNEL)				
Trimethoxyvinylsilane (2768-02-7)				
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor	
Consumer Systemic health effects	Inhalation	18,9 mg/m³		

EVO-STIK STICKS LIKE ADHESIVE WHITE

Supercedes Date: 15-Dec-2022

Long term			
Consumer	Dermal	7,8 mg/kg bw/d	
Systemic health effects			
Long term			
Consumer	Oral	0,3 mg/kg bw/d	
Systemic health effects			
Long term			
Titanium dioxide (13463-67-7	7)		
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor
Consumer	Oral	700 mg/kg bw/d	
Long term			
Systemic health effects			
		1	
Bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate (52829-07-9)			
Туре	Exposure route	Derived No Effect Level	Safety factor
		(DNEL)	
Consumer	Dermal	0.8 ma/ka	

Consumer	Dermal	0.8 mg/kg	
Long term			
Systemic health effects			
Consumer	Oral	0.4 mg/kg	
Long term			
Systemic health effects			

Predicted No Effect Concentration (PNEC)

Predicted No Effect Concentration (PNEC)		
Trimethoxyvinylsilane (2768-02-7)		
Environmental compartment	Predicted No Effect Concentration (PNEC)	
Freshwater	0.34 mg/l	
Marine water	0.034 mg/l	
Microorganisms in sewage treatment	110 mg/l	

Titanium dioxide (13463-67-7)	
Environmental compartment	Predicted No Effect Concentration (PNEC)
Marine water	0.0184 mg/l
Freshwater sediment	1000 mg/kg
Freshwater	0.184 mg/l
Marine sediment	100 mg/kg
Soil	100 mg/kg
Microorganisms in sewage treatment	100 mg/l
Freshwater - intermittent	0.193 mg/l

Bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate (52829-07-9)	
Environmental compartment	Predicted No Effect Concentration (PNEC)
Freshwater	0.018 mg/l
Marine water	0.0018 mg/l
Freshwater sediment	29 mg/kg
Marine sediment	2.9 mg/kg
Soil	5.9 mg/kg

Dioctyltinbis(acetylacetonate) (54068-28-9)		
Environmental compartment	Predicted No Effect Concentration (PNEC)	
Freshwater	26 μg/l	
Marine water	2.6 µg/l	
Freshwater - intermittent	260 µg/l	
Sewage treatment plant	1 mg/l	
Freshwater sediment	0.155 mg/kg dry weight	
Marine sediment	0.0155 mg/kg dry weight	

EVO-STIK STICKS LIKE ADHESIVE WHITE

Supercedes Date: 15-Dec-2022

Revision date 16-Mar-2023 Revision Number 5.02

Soil	0.0158 mg/kg dry weight		
8.2. Exposure controls			
Engineering controls	Ensure adequate ventilation, especially in confined areas.		
Personal protective equipment Eye/face protection Hand protection	Tight sealing safety goggles. Wear protective gloves. Gloves must conform to standard EN 374. Ensure that the breakthrough time of the glove material is not exceeded. Refer to glove supplier for information on breakthrough time for specific gloves. The breakthrough time of the gloves depends on the material and the thickness as well as the temperature.		
Skin and body protection	Wear appropriate personal protective clothing to prevent skin contact.		
Environmental exposure controls	No information available.		

SECTION 9: Physical and chemical properties

9.1. Information on basic physical	and chemical properties	
Physical state	Solid	
Appearance	Paste	
Colour	White	
Odour	Characteristic.	
Odour threshold	No information available	
Description	Malaa a	Demonster Mathead
Property Malting a sint (frageling a sint)	<u>Values</u> No data available	Remarks • Method None known
Melting point / freezing point		
Initial boiling point and boiling	No data available °C	None known
range	Net explicable for liquide	
Flammability	Not applicable for liquids .	None known
Flammability Limit in Air		NOTE KNOWN
Upper flammability or explosive limits	No data avallable	
	No data available	
Lower flammability or explosive limits	NO UAIA AVAIIADIE	
Flash point	> 60 °C	
Autoignition temperature	No data available	None known
Decomposition temperature		None known
pH	No data available	None known.
pH (as aqueous solution)	No data available	None known
Kinematic viscosity	> 21	None known
Dynamic viscosity	No data available	
Water solubility	No data available. Product cures wit	'n
Water columny	moisture	
Solubility(ies)	No data available	None known
Partition coefficient	No data available	None known
Vapour pressure	No data available	None known
Relative density	No data available	
Bulk Density	No data available	
Liquid Density	1.58 g/cm ³	
Relative vapour density	No data available	None known
Particle characteristics		
Particle Size	No information available	
Particle Size Distribution	No information available	
9.2. Other information		
Solid content (%)	No information available	
VOC content	36.2 g/L	
VOC Content	30.2 g/L	

9.2.1. Information with regards to physical hazard classes Not applicable

EVO-STIK STICKS LIKE ADHESIVE WHITE

Supercedes Date: 15-Dec-2022

9.2.2. Other safety characteristics No information available

SECTION 10: Stability and re	ectivity
10.1. Reactivity	
Reactivity	No information available.
10.2. Chemical stability	
Stability	Stable under normal conditions.
Explosion data	
Sensitivity to mechanical	None.
impact Sensitivity to static discharge	None.
10.3. Possibility of hazardous reac	tions
Possibility of hazardous reactions	None under normal processing.
10.4. Conditions to avoid	
Conditions to avoid	Do not freeze.
10.5. Incompatible materials	
Incompatible materials	None known based on information supplied.
10.6. Hazardous decomposition pr	<u>oducts</u>
Hazardous decomposition products	None under normal use conditions. Stable under recommended storage conditions.
SECTION 11: Toxicological	information
11.1. Information on hazard class	es as defined in Regulation (EC) No 1272/2008
Information on likely routes of exp	osure
Product Information	
Inhalation	Based on available data, the classification criteria are not met.
Eye contact	Based on available data, the classification criteria are not met.
Skin contact	Based on available data, the classification criteria are not met. May cause sensitisation ir susceptible persons.
Ingestion	Based on available data, the classification criteria are not met.
Symptoms related to the physical,	chemical and toxicological characteristics
Symptoms	No information available.
Acute toxicity	
Numerical measures of toxicity	

EVO-STIK STICKS LIKE ADHESIVE WHITE Supercedes Date: 15-Dec-2022

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral)	>5000 mg/kg
ATEmix (dermal)	>5000 mg/kg
ATEmix (inhalation-gas)	>20000 ppm
ATEmix (inhalation-dust/mist)	>5 mg/l
ATEmix (inhalation-vapour)	799.845 mg/l

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Hydrocarbons, C15-C20,	LD50 > 5000 mg/kg (Rattus)	LD50 > 3160 mg/kg	LC50 Inhalation(4h) >5266
n-alkanes, isoalkanes, cyclics,	OECD 401	(Oryctolagus cuniculus)	mg/m³ (Rattus)
< 0.03% aromatics		OECD 402	-
Trimethoxyvinylsilane	LD50 = 7120 -7236 mg/kg	= 3540 mg/kg (Oryctolagus	LC50 (4hr) 16.8 mg/l (Rattus)
	(Rattus) OECD 401	cuniculus)	OECD TG 403
Titanium dioxide	>10000 mg/kg (Rattus)	LD50 > 5000 mg/Kg	= 5.09 mg/L (Rattus) 4 h
Bis(2,2,6,6-tetramethyl-4-piperi	LD50 (Rattus)> 2000 mg/kg	LD50 (Rattus) > 3 170 mg/kg	=500 mg/m ³ (Rattus) 4 h
dyl) sebacate	OECD 423	OECD 402	
Dioctyltinbis(acetylacetonate)	LD50 =2500 mg/kg (Rattus)	LD50 >2000 mg/kg (Rattus)	= 5.1 mg/L (Rat) 4 h

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Trimethoxyvinylsilane (2768-02-7)

Species	Exposure route	Effective dose	Exposure time	Results
Rabbit	Dermal	115 mi	24 hours	Non-irritant

Titanium dioxide (13463-67-7)

Method	Species	Exposure route	Effective dose	Exposure time	Results
OECD Test No. 404:	Rabbit	Dermal			Non-irritant
Acute Dermal					
Irritation/Corrosion					

Bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate (52829-07-9)

Method	Species	Exposure route	Effective dose	Exposure time	Results
OECD Test No. 404:	Rabbit	Dermal			Non-irritant
Acute Dermal					
Irritation/Corrosion					

Serious eye damage/eye irritation Based on available data, the classification criteria are not met.

Trimethoxyvinylsilane (2768-02-7)

Method	Species	Exposure route	Effective dose	Exposure time	Results
OECD Test No. 405:	Rabbit	еуе		24 hours	Non-irritant
Acute Eye					
Irritation/Corrosion					

Titanium dioxide (13463-67-7)

Method	Species	Exposure route	Effective dose	Exposure time	Results
OECD Test No. 405:	Rabbit	Eye			Non-irritant
Acute Eye					
Irritation/Corrosion					

Bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate (52829-07-9)

Method	Species	Exposure route	Effective dose	Exposure time	Results

EVO-STIK STICKS LIKE ADHESIVE WHITE

Supercedes Date: 15-Dec-2022

OECD Test No. 405: Rab	hit		Evo Domoro
OECD Test No. 405: Rab Acute Eye Irritation/Corrosion	bit eye		Eye Damage
Respiratory or skin sensitisa	tion OECD Test No. 406: S classification is propos susceptible persons.	kin Sensitisation. No sensitisati ed, based on conclusive negati	on responses were observed. No ve data. May cause sensitisation
Method	Species	Exposure route	Results
OECD Test No. 406: Skin Sensitisation	Guinea pig	Dermal	No sensitisation responses were observed
Trimethoxyvinylsilane (2768-02			
Method	Species	Exposure route	Results
OECD Test No. 406: Skin Sensitisation, Buehler test	Guinea pig	Dermal	sensitising
Titanium dioxide (13463-67-7) Method	Species		Depute
OECD Test No. 406: Skin	Species Guinea pig	Exposure route	Results Not a skin sensitiser
Sensitisation	Guinea pig	Deimai	NOL A SKIT SETSUSEI
OECD Test No. 429: Skin Sensitisation: Local Lymph Noo Assay	Mouse de	Dermal	Not a skin sensitiser
Bis(2,2,6,6-tetramethyl-4-piperi	dyl) sebacate (52829-07-9)		
Method	Species	Exposure route	Results
OECD Test No. 406: Skin Sensitisation	Guinea pig		No sensitisation responses were observed
Dioctyltinbis(acetylacetonate)	54068-28-9)		
Method	Species	Exposure route	Results
OECD Test No. 429: Skin Sensitisation: Local Lymph Noc Assay	de	Dermal	> 5 % sensitising
Germ cell mutagenicity	Based on available dat	a, the classification criteria are	not met.
Component Information Trimethoxyvinylsilane (2768-02	:-7)		
Method	Species		
OECD Test No. 471: Bacterial Mutation Test	Reverse in vitro	Not	mutagenic
Bis(2,2,6,6-tetramethyl-4-piperi	dyl) sebacate (52829-07-9)		
Carcinogenicity	Based on available dat	a, the classification criteria are	not met.

Reproductive toxicity

Based on available data, the classification criteria are not met.

Trimethoxyvinylsilane (2768-02-7)

Method	Species	Results
OECD Test No. 422: Combined Repeated Dose	Rat	Not Classifiable
Toxicity Study with the		
Reproduction/Developmental Toxicity Screening		
Test		

Bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate (52829-07-9)						
Method	Species	Results				
OECD Test No. 414: Pre-natal Development	Rat, Rabbit	reproductive toxicant				
Toxicity Study						

STOT - single exposure Based on available data, the classification criteria are not met.

STOT - repeated exposure Based on available data, the classification criteria are not met.

Trimethoxyvinylsilane (2768-02-7)

Method	Species	Exposure route	Effective dose	Exposure time	Results
OECD Test No. 413:	Rat	Inhalation vapour		90 days	0.058 NOAEL
Sub-chronic Inhalation					
Toxicity: 90-day Study					

Bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate (52829-07-9) Aspiration hazard Based on available data, the classification criteria are not met.

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

Endocrine disrupting properties No information available.

11.2.2. Other information

Other adverse effects No information available.

SECTION 12: Ecological information

12.1. Toxicity

Ecotoxicity

Harmful to aquatic life.

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea	M-Factor	M-Factor (long-term)
Hydrocarbons, C15-C20, n-alkanes, isoalkanes, cyclics, < 0.03% aromatics RR-100252-4	EL50 (72h) >10,000 mg/L (Skeletonema costatum) ISO 10253	LL50 (96h) > 1028 mg/L (Scophthalmus maximus) OECD 203	-	LL50 (48h)> 3193 mg/l (Acartia tonsa)		
Trimethoxyvinylsilane 2768-02-7	EC 50 (72h) > 957 mg/l (Desmodesmus subspicatus) EU Method C.3	LC50 (96h) = 191 mg/l	-	EC50(48hr) 168.7mg/l (Daphnia magna)		
Titanium dioxide 13463-67-7	LC50 (96h) >10000 mg/l (Cyprinodon variegatus) OECD 203	-	-	-		
Bis(2,2,6,6-tetramethyl- 4-piperidyl) sebacate 52829-07-9	0.705 mg/l (Pseudokirchner ella subcapitata)		-	LC50 48Hr 8.58 mg/l (Daphnia magna)		
Dioctyltinbis(acetylacet	-	LC50 (96h) =86	-	EC50 (48h)		

EVO-STIK STICKS LIKE ADHESIVE WHITE

Supercedes Date: 15-Dec-2022

onate)	mg/L (Static)	=58.6 mg/L	
54068-28-9		(Daphnia	
		magna)	

12.2. Persistence and degradability

Persistence and degradability No information available.

Trimethoxyvinylsilane (2768-02-7)

Method	Exposure time	Value	Results
OECD Test No. 301F: Ready	28 days	BOD	51 % Not readily
Biodegradability: Manometric			biodegradable
Respirometry Test (TG 301 F)			

Bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate (52829-07-9)

Method	Exposure time	Value	Results
OECD Test No. 303: Simulation Test	28 days	Total organic carbon (TOC)	24 % Moderate
 Aerobic Sewage Treatment A: 			
Activated Sludge Units; B: Biofilms			

12.3. Bioaccumulative potential

Bioaccumulation

Component Information

Chemical name	Partition coefficient
Trimethoxyvinylsilane	1.1
Bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate	0.35

12.4. Mobility in soil

Mobility in soil

No information available.

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment

The product does not contain any substance(s) classified as PBT or vPvB above the threshold of declaration.

Chemical name	PBT and vPvB assessment
Hydrocarbons, C15-C20, n-alkanes, isoalkanes, cyclics, < 0.03% aromatics	The substance is not PBT / vPvB
Trimethoxyvinylsilane	The substance is not PBT / vPvB
Titanium dioxide	The substance is not PBT / vPvB PBT assessment does
	not apply
Bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate	The substance is not PBT / vPvB
Dioctyltinbis(acetylacetonate)	The substance is not PBT / vPvB

12.6. Endocrine disrupting properties

Endocrine disrupting properties No information available.

12.7. Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste from residues/unused products	Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.
Contaminated packaging	Do not reuse empty containers.
European Waste Catalogue	08 04 10 waste adhesives and sealants other than those mentioned in 08 04 09
Other information	Waste codes should be assigned by the user based on the application for which the product was used.

SECTION 14: Transport information

Note:	Keep from freezing.
Land transport (ADR/RID) 14.1 UN number or ID number 14.2 Proper Shipping Name 14.3 Transport hazard class(es) 14.4 Packing group 14.5 Environmental hazards 14.6 Special precautions for user Special Provisions	Not regulated Not regulated Not regulated Not applicable None
IMDG14.1UN number or ID number14.2Proper Shipping Name14.3Transport hazard class(es)14.4Packing group14.5Marine pollutant14.6Special precautions for user Special Provisions14.7Maritime transport in bulkaccording to IMO instruments Transport in bulk according to	Not regulated Not regulated Not regulated Not regulated NP None Annex II of MARPOL and the IBC Code Not applicable
Air transport (ICAO-TI / IATA-DGR) 14.1 UN number or ID number 14.2 Proper Shipping Name 14.3 Transport hazard class(es) 14.4 Packing group 14.5 Environmental hazards 14.6 Special precautions for user Special Provisions	Not regulated Not regulated Not regulated Not regulated Not applicable None

Section 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

European Union

Registration, Evaluation, Authorization, and Restriction of Chemicals (REACh) Regulation (EC 1907/2006)

SVHC: Substances of Very High Concern for Authorisation:

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

EU-REACH (1907/2006) - Annex XVII - Substances subject to Restriction

EVO-STIK STICKS LIKE ADHESIVE WHITE

This product contains one or more substance(s) subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII).

Chemical name	CAS No	Restricted substance per REACH Annex XVII
Dioctyltinbis(acetylacetonate)	54068-28-9	20.

Substance subject to authorisation per REACH Annex XIV

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV)

Export Notification requirements

This product contains substances which are regulated pursuant to Regulation (EC) No. 649/2012 of the European parliament and of the council concerning the export and import of dangerous chemicals

Chemical name	European Export/Import Restrictions per (EC) 689/2008 - Annex Number
Dioctyltinbis(acetylacetonate)	l.1

Ozone-depleting substances (ODS) regulation (EC) 1005/2009 Not applicable

Persistent Organic Pollutants

Not applicable

National regulations

15.2. Chemical safety assessment

Chemical Safety Assessments have been carried out by the Reach registrants for substances registered at >10 tpa. No Chemical Safety Assessment has been carried out for this mixture

SECTION 16: Other information

Key or legend to abbreviations and acronyms used in the safety data sheet

Full text of H-Statements referred to under section 3

- H226 Flammable liquid and vapour
- H304 May be fatal if swallowed and enters airways
- H317 May cause an allergic skin reaction
- H318 Causes serious eye damage
- H332 Harmful if inhaled

H361f - Suspected of damaging fertility

- H371 May cause damage to organs
- H400 Very toxic to aquatic life

H411 - Toxic to aquatic life with long lasting effects

Notes relating to the identification, classification and labelling of substances

Note V: If the substance is to be placed on the market as fibres (with diameter < $3 \mu m$, length > $5 \mu m$ and aspect ratio ≥ 3:1) or particles of the substance fulfilling the WHO fibre criteria or as particles with modified surface chemistry, their hazardous properties must be evaluated in accordance with Title II of this Regulation, to assess whether a higher category (Carc. 1B or 1A) and/or additional routes of exposure (oral or dermal) should be applied

Note W: It has been observed that the carcinogenic hazard of this substance arises when respirable dust is inhaled in quantities leading to significant impairment of particle clearance mechanisms in the lung

Notes relating to the classification and labelling of mixtures

Note 10: The classification as a carcinogen by inhalation applies only to mixtures in powder form containing 1 % or more of titanium dioxide which is in the form of or incorporated in particles with aerodynamic diameter \leq 10 µm

EVO-STIK STICKS LIKE ADHESIVE WHITE Supercedes Date: 15-Dec-2022

Legend	
TWA	TWA (time-weighted average)
STEL	STEL (Short Term Exposure Limit)
Ceiling	Ceiling Limit Value
*	Skin designation
SVHC	Substance(s) of Very High Concern
PBT	Persistent, Bioaccumulative, and Toxic (PBT) Chemicals
vPvB	Very Persistent and very Bioaccumulative (vPvB) Chemicals
STOT RE	Specific target organ toxicity - Repeated exposure
STOT SE	Specific target organ toxicity - Single exposure
EWC	European Waste Catalogue
ADR	European Agreement concerning the International Carriage of Dangerous Goods by
	Road
IMDG	International Maritime Dangerous Goods (IMDG)
ΙΑΤΑ	International Air Transport Association (IATA)
RID	Regulations concerning the International Transport of Dangerous Goods by Rail

Key literature references and sources for data

No information available

Prepared By	Product Safety & Regulatory Affairs
Revision date	16-Mar-2023
Indication of changes	
Revision note	SDS sections updated, 3, 9.
Training Advice	No information available
Further information	No information available

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet