



- Maximum cooling capacity
- Low Energy Consumption
- Real Feel Technology
- Eco-friendly gas
- Wide LED display

10.700 Btu/h*
Class A
Comfort around you
R290
Easy to read



EFFICIENCY

NEW ECO-DESIGN

E700 TIMES ECO-FRIENDLY

REAL FEEL TECHNOLOGY

COMFORT LIGHT INDICATOR / WIDE DISPLAY

* 35°C/80% R.H. ** 35°C/40% R.H. (EN14511)

**** Tested in our laboratory by comparing the maximum sound level using max. fan speed vs sound level with min. fan speed

***696 times compared to the impact of Global Warming of R410 - F-Gas Reg. 517/2014.



PAC AN98 ECO REAL FEEL

DE'LONGHI COMFORT

AIR-TO-AIR PORTABLE CONDITIONERS


- Maximum cooling capacity
- Low Energy Consumption
- Real Feel Technology
- Eco-friendly gas
- Wide LED display

10.700 Btu/h*
Class A
Comfort around you
R290
Easy to read



- Fan function
- Dehumidifying function
- LED control panel with Comfort Light Indicator
- Exclusive condensate recirculation system
- 3 fan speed to select the maximum power or the minimum noise
- Soft touch control panel
- Remote control allows an easy use of all features
- 24 h electronic timer and thermostat
- Handles and castors for easy transportation

**2,7
kW**



EFFICIENCY

Perfect match of most advanced technology and low consumption, Pinguino PAC AN98 ECO REAL FEEL is **A class of Energy Efficiency**.

NEW ECO-DESIGN

Featuring a stylish and innovative design, Pinguino PAC AN98 ECO REAL FEEL is kind to the environment

E700 TIMES ECO-FRIENDLY

Pinguino PAC AN98 ECO REAL FEEL uses the **refrigerant gas R290**, which is up to 696 times more environmentally friendly than traditional gases***

REAL FEEL TECHNOLOGY

A good level of comfort is the result of the perfect match between humidity and temperature. This is why Real Feel tracks and acts on both values simultaneously to reach and maintain an optimal wellness level

COMFORT LIGHT INDICATOR / WIDE DISPLAY

Immediate understanding of comfort level thanks to the CLI Comfort Light Indicator: orange "seeking for comfort", green "good comfort level" Blu "perfect comfort". Increased easy of use thanks to the wide LED display.

TECHNICAL DATA

Maximum cooling capacity	BTU/h* – Kw**	10.700 – 2,7
Energy Efficiency Ratio (EER)	(W/W)	2,6
For rooms up to	m ³	100
Refrigerant gas		R290
Energy Efficiency Class		A
Rated voltage – frequency	V~Hz	220-240~50
Input power**	W	1020
Maximum sound power level	dB(A)	64
Noise pressure level (min-max)	dB(A)	47-50
Air flow(min-med-max)	m ³ /h	250-310-350
Max dehumidifying (dehum. mode)	l/24h	36
Dimensions (hxlxp)	mm	750x449x395
Weight	Kg	30

* 35°C/80% R.H.

** 35°C/40% R.H. (EN14511)

***696 times compared to the impact of Global Warming of R410 - F-Gas Reg. 517/2014.

**** Tested in our laboratory by comparing the maximum sound level using max. fan speed vs sound level with min. fan speed





ENERG Y IJA
енергия · ενεργεια
IE IA

DeLonghi PAC AN98

EER



2,7
kW

2,6
EER



64dB

1,0
kWh/60min*

ENERGIA · ЕНЕРГИЯ · ΕΝΕΡΓΕΙΑ · ENERGIJA · ENERGY · ENERGIE · ENERGI
* Минута - регс - λεπτά

626/2011

5415116231_00/1018