

Introducing Daytona



A revolution in towel rails


Perfect form Perfect function

Dimplex set new design standards with the Daytona range of towel rails. Incorporating the patented DryTech™ technology, exclusively developed by Dimplex, each towel rail offers outstanding performance – performance so good, its rapid warm-up leaves conventional wet/liquid filled towel rails in the cold.

Sleek. Elegant. With a gentle curve of the rail. The new Daytona is destined to become the latest 'must have' design in any contemporary bathroom. Available in sparkling chrome or cool white and in two sizes, specification comes easy for any size of room.

Our unique DryTech™ system offers so much more over conventional wet towel rail radiators:


- Energy efficient with more heat from a lower output
- Even heat distribution – no cold spots
- Compact, slimline design
- Lightweight for faster, easier installation
- Rapid towel drying
- Entirely liquid free – no leakage, no rusting, silent operation



Available in chrome or white in outputs of 175 and 350 Watts

Faster warm-up

Thanks to its unique DryTech™ technology, the Daytona not only heats up faster than conventional towel rails, it is more energy efficient and provides more heat from a lower output with even heat distribution and no cold spots.




*The Daytona 350W with
DryTech™ technology*

*Conventional wet filled
towel rail*



Technical specification



DTR 175

Controls

No external controls

Thermal cut-out

2x auto re-setting temperature limiter

Construction


Sealed steel shell

D shaped upright bars

Silicon coated double extruded wire element

IP rating

Splash-proof IPX4 for bathroom use



DTR 350

Installation

No. of wall mounting brackets supplied:

DTR175 – 3 DTR350 – 4

Electrical connections

1.0m pre-fitted cable

Cable entry at bottom right rail

Installations must be in accordance with

current IEE wiring regulations

Colour/ Finish

White powder coated or chrome plated

Model no	Output W	Height mm	Width mm	Colour	Depth mm	Weight kg	No of bars
DTR175W	175	610	453	White	80min-100max	4.4	12
DTR350W	350	843	602	White	95min-115max	7.9	18
DTR175C	175	610	453	Chrome	80min-100max	4.4	12
DTR350C	350	843	602	Chrome	95min-115max	7.9	18

Daytona **high performance**
towel rails with DryTech™ technology
for the **fastest**
warm-up ever!

lighter weight

eco-sensitive more energy efficient

fastest warm-up

elegant design

liquid free

eco-sensitive

fastest warm-up

After Sales Service

After sales service if required is absolutely no problem with Dimplex – we have a network of appointed Service Agents spread throughout the Country who are qualified and trained to repair or service any of our appliances.

Bathrooms

Any electrical appliances installed in a bathroom should be fitted by a competent electrician in accordance with the current I.E.E. Regulations.

Unless otherwise specified in this brochure, heaters that can be permanently fixed have to be so mounted that any controls cannot be reached by a person using a bath or shower. This restriction does not apply to Dimplex heated towel rails, which do not have controls.

Safety

Dimplex products are designed to comply with EN60335 the British Standard covering the safety requirements of electric heating appliances, and momentary contact with any part of the heater should not cause injury. However, in order to be effective, towel rails of any type do get hot especially (if applicable) around the air outlet grille. Therefore if aged or infirm persons, or young children, are likely to be left unsupervised in the vicinity of a heater we advise that precautions should be taken. We recommend that a guard is fitted around the heater, as is normal with many types of heating appliance in similar circumstances, to ensure contact with the heater is avoided and objects cannot be inserted into the product.

Heating appliances should never be covered or positioned where objects may fall onto them.

Specifications

Dimplex policy is one of continuous improvement; the Company therefore reserves the right to alter specifications without notice. Although every care has been taken in the reproduction of product finishes in this brochure, the colour photographs should be taken only as a guide. The information contained in this brochure is correct at the time of printing. You are advised to consult your dealer before purchasing.

British Electrotechnical Approvals Board BEAB Approved



The mark of the British Electrotechnical Approvals Board signifies that the appliance bearing it has been produced to the stringent safety requirements for domestic electrical appliances as laid down in EN60335.

CE Mark

Products carrying the CE mark comply with European safety standards and the European Standard for electro-magnetic compatibility.



Dimplex is a Registered Trade Mark in the United Kingdom.

All the products shown in this brochure are protected by intellectual property rights owned by Dimplex UK Ltd or members of the Glen Dimplex Group on an international basis.

The Glen Dimplex Group of Companies will actively protect these rights.

Dimplex®

Comfort. By design

Dimplex UK Limited, Millbrook House, Grange Drive, Hedge End, Southampton, SO30 2DF

Installation Guidance

This brochure is designed to assist you with your choice of Dimplex products and it is not intended as an installation guide.

For safety, products should only be installed by a competent person, in accordance with current regulations and the manufacturers instructions. If you require further advice concerning the installation of our products – especially where the installed dimensions may be critical to your choice and the location of the product – please contact our Customer Care on 0845 600 5111 or consult your installer.

The Dimplex Range

Dimplex offers the widest range of electric space and water heating products in the world – nearly 400 – to meet almost any heating need. In addition to this publication, we have a wide range of brochures for both domestic and commercial applications. Choose from:



Ascar electric boiler brochure



Solar water heating brochure



Heat Pumps brochure



Commercial brochure



Outdoor heating brochure



Range brochure



Building regulations brochure



Portables brochure



Fires brochure



Panels brochure

Useful numbers

Telephone: 0845 600 5111
Fax: Customer Services: 01489 773053
Brochure line: 01489 773063
Main Reception: 01489 773050
Email: customer.services@dimplex.co.uk
Website: www.dimplex.co.uk

© Dimplex UK Limited

All rights reserved. Material contained in this publication may not be reproduced in whole or in part, without prior permission in writing of Dimplex UK Limited.

D1302/0807