

# Wire Basket Cable Tray

## **Specification**

Material Type Stainless Steel 316

Stainless Steel 304 (Lengths only)

Basket Length 3.0 Metres
Wall Height 60mm (nominal)

Material Finish Matt

Wire Thickness ø 4mm for tray widths 75 - 200mm ø 5mm for tray widths 300 - 400mm

### **Earthing Recommendations**

It is recommended that a continuous earth wire is connected at every basket length interface. (Please consult your electrical installation regulations relating to the earthing of cable trays and trunking etc.)

## **Advantages:**

#### **Easier Estimating**

Ordering and stocking of expensive bends, tees etc. are no longer necessary as they are formed quickly and easily on site. (Refer to the 'Wire Basket Assembly Guide' on page 46.)


#### **Improved Ventilation**

Deep open basket tray improves air flow over cables, therefore reducing the build up of heat.

#### **Easier Cable Identification**

#### **Easier to Select**

Selecting the right components from the brochure is made easier using our numbered guide.







### **Basket Cable Tray with Lid**


Basket Tray Lid comprises: lid, 4 turnbuckles and 2 centre fixings.

When a lid is cut to length, or terminated, an additional lid fixing kit (BASK LID FIX KIT) and turnbuckles (TB1) may be required.











Contact us for Large Discounts: Tel: +44 (0) 1388 774455 Fax: +44 (0) 1388 777359 Web: www.electrix.co.uk Email: enquiries@electrix.co.uk

## Stainless Steel 304 & 316

















# **Brackets and Supports**






































Web: www.electrix.co.uk Email: enquiries@electrix.co.uk

## **Brackets and Supports**

