

<b>Technical Data Sheet:</b>	<b>DS069/0913</b>
<b>Product Description</b>	<b>FPP Contractor Pack: 10m of Polypropylene Conduit complete with 10x Polypropylene Flexilok fittings and 10x Locknuts</b>
<b>Product Range</b>	<b>FPP - Conduit Contractor Pack</b>

# FLEXICON

FLEXIBLE CONDUIT SOLUTIONS

Roman Way, Coleshill  
Birmingham  
B46 1HG

Tel: 00 44 (0)1675 466900

Website: www.flexicon.uk.com




Size	Part No.
20mm	FPP-CP20#
25mm	FPP-CP25#
34mm	FPP-CP34B

NB: # add B for Black or G for Grey

### FPP Contractor Pack

- 10 Metres polypropylene conduit
- 10 Flexilok Fittings and Locknuts



### Conduit



Size (mm)	OD (mm)	ID (mm)	Min Bend radius R (mm)
20	20.0	14.8	40
25	25.0	19.1	50
34	34.5	28.1	65

### Materials:

Polypropylene

### Colour:

Black or Grey (RAL7031)

### Fire Performance:

Self extinguishing

### IP Rating:

- IP66


### Applications:

#### Fittings:

- Fast one piece push fit
- Can be removed using screwdriver if required
- Comes complete with lock-nuts.

### Temperature Performance:

-20°C to +90°C



### Fitting

Size (mm)	Thread	Nominal Dimensions (mm)					
	A	B	C	D	E	F	G
20	M20 X 1.5	14	34	25	14.5	25	28
25	M25 X 1.5	15	37	30	19.0	30	33
34	M32 X 1.5	16	42	41	26.5	41	43

### Compliance, Approvals & Accreditation;



EN 61386 Classification Available on request

### Typical Applications;



Construction

Errors, omissions and amendments excepted. As part of continuing product development Flexicon Ltd reserve the right to alter product specifications without prior notice. Data given is correct at time of compilation. Product specification and application data is for guidance only and does not constitute a warranty of any kind, either expressed or implied for Flexicon products or their suitability for a specific purpose. Third party approvals maybe limited to certain sizes within a product range.

Created by; <b>Colin Legg - Marketing Manager</b>	Approved by; <b>Ian Gibson - Technical Director</b>	Date; <b>September 2013</b>	Page Number; <b>Page 1 of 1</b>
--	--	--------------------------------	------------------------------------