



Please read these instructions and retain them for future reference.

Important information


It is recommended that the fittings are installed by a qualified electrician ensuring the installation complies with current IEE wiring regulations & local building control.

- These products are designed for connection to a 220-240V mains supply.
- We cannot accept responsibility for any claims arising from a poor installation.

Important User Advice

- Always switch off mains supply before installation.
- The fitting is suitable for indoor use only.

Dimensions:



Specifications:

Voltage Range: 220-240VAC

Nom. Watts: 11w

• Light Output: 680± Lumens

• LED Colour: 3000k

• LED Type: 2835 SMD LED

• CRI > 80

- Beam Angle: 120°
- Opal Glass
- Dimmable with selected dimmers
- Flush Wall Light
- Energy Saving up to 80%


Installation:

Warning! Switch off the power source before installation & maintenance



Step 1: Identify the location and direction of any hidden supply cables or service pipes before drilling fixing holes.


Step 2: Mark the position of the fixing holes onto the wall surface adjacent to the supply wiring (Fig.1).




Step 3: Drill holes at the positions marked and fit the plastic wall plugs (Fig.2).

Step 4: Insert the fixing screws into the wall plugs, leaving approx. 5mm of the screw shaft exposed.

Step 5: Connect the wires in the following way:



Step 6: Mount the light fitting onto the wall by hooking the key-hole slots over the fixing screws(Fig. 4).



(Fig.4)

