

Product selected: F18W/840

A new generation of triphosphor coated fluorescent tubes. Using T8 triphosphor tubes in place of T12 and T8 halophosphor tubes increases light levels and extends lamp life, up to 20000 hours when used with electronic control gear, improves colour rendering performance and reduces maintenance and energy costs.

Applications

- · Industrial and commercial lighting (stores, offices, industrial areas, supermarkets)
- · Special lengths in luminaires with nonstandard dimensions, displays, furniture lighting, shops, bathroom luminaires

Features


- · High light output; almost constant lumen maintenance throughout life
- High colour rendering (Ra85/Class 1B)
- Consumes 10% less energy than comparable 38mm fluorescent tubes
- Excellent performance (lm/W) and increased luminaire efficiency (5 to 10%)
- · Operates on conventional and electronic ballast

Product Image Line Drawing L

12	m	a I	
	ш	-	90

- 1	•	4	9
	u	1	ð
	_	-	-





T12 max. 36,52

Product Attributes		
Item description	F18W/840	
Ordering Code	0001500	
EAN code	5410288015002	
Packing Quantity	25	
Wattage (W)	18	
Voltage (V)	57	
Сар	G13	
Max. Over. Length (mm)	590	
Diameter (mm)	26	
Light output (Im)	1350	
Average life (hours)	20000	
Bulb finish	Coolwhite Deluxe	
CRI	1B	

Spectral Diagram

