

Product selected: F36W/835

A new generation of triphosphor coated fluorescent tubes. Using T8 triphosphor tubes in place of T12 and T8 halophosphor tubes increases light levels and extends lamp life, up to 20000 hours when used with electronic control gear, improves colour rendering performance and reduces maintenance and energy costs.

Applications

- · Industrial and commercial lighting (stores, offices, industrial areas, supermarkets)
- · Special lengths in luminaires with nonstandard dimensions, displays, furniture lighting, shops, bathroom luminaires

Features


- · High light output; almost constant lumen maintenance throughout life
- High colour rendering (Ra85/Class 1B)
- Consumes 10% less energy than comparable 38mm fluorescent tubes
- Excellent performance (lm/W) and increased luminaire efficiency (5 to 10%)
- · Operates on conventional and electronic ballast

Product Image Line Drawing L

10	- 100		Ca
Lc	am	μ	Ua

G13





T8 max. 25,78 T12 max. 36,52

Product Attributes	
Item description	F36W/835
Ordering Code	0000578
EAN code	5410288005782
Packing Quantity	25
Wattage (W)	36
Voltage (V)	103
Сар	G13
Max. Over. Length (mm)	1200
Diameter (mm)	26
Light output (lm)	3350
Average life (hours)	20000
Bulb finish	White Deluxe
CRI	1B

Spectral Diagram

