

## Product selected: F58W/840

A new generation of triphosphor coated fluorescent tubes. Using T8 triphosphor tubes in place of T12 and T8 halophosphor tubes increases light levels and extends lamp life, up to 20000 hours when used with electronic control gear, improves colour rendering performance and reduces maintenance and energy costs.

## **Applications**

- · Industrial and commercial lighting (stores, offices, industrial areas, supermarkets)
- · Special lengths in luminaires with nonstandard dimensions, displays, furniture lighting, shops, bathroom luminaires

#### Features


- · High light output; almost constant lumen maintenance throughout life
- High colour rendering (Ra85/Class 1B)
- Consumes 10% less energy than comparable 38mm fluorescent tubes
- Excellent performance (lm/W) and increased luminaire efficiency (5 to 10%)
- · Operates on conventional and electronic ballast

# **Product Image Line Drawing** L

12	m	<b>a</b> 1	
	ш	-	90

- 1	•	4	9
	u	1	ð
	_	-	-





T12 max. 36,52

Product Attributes	
Item description	F58W/840
Ordering Code	0001530
EAN code	5410288015309
Packing Quantity	25
Wattage (W)	58
Voltage (V)	110
Сар	G13
Max. Over. Length (mm)	1500
Diameter (mm)	26
Light output (Im)	5200
Average life (hours)	20000
Bulb finish	Coolwhite Deluxe
CRI	1B

# Spectral Diagram

