



Siena Slim CCT LED Range

Exterior Bulkheads



Data Sheet

Product Information

The Siena Wall Pack Slim range of CCT LED bulkheads are available in three versions - standard, photocell or emergency. All versions are available in either Black or White. Integral driver and switchable 15W CCT LED choose between 3000K, 4000K or 6000K.

Complete with a 2 year warranty.

Product Features

- 2 year warranty
- IP65
- Class II
- IK10
- 15W
- Switchable CCT LED
- 3000K/4000K/6000K
- Suitable for High Saline areas
- Non Dimmable
- Emergency version
- Integrated Photocell version

Product Specification

Product Code	Product Description	Wattage (W)	Lumens (lm)	CRI (Ra)	CCT (K)	Energy Efficiency Class	Protection Class
KSR1175	Siena Slim 15W Triple CCT LED Emergency Wall Pack	15	1013	>83	3000K	A	II
			1143		4000K		
			1043		6000K		

Nominal voltage	220-240V
Operating frequency	50/60Hz
IP rating	65
Start time	<0.5 sec
IK Rating	10
Photocell	
Lux Setting	On <30 lux – Off >70 lux

Construction

Body:	ABS (Acrylonitrile Butadiene Styrene)
Diffuser:	PC (Polycarbonate) Opal


Standards

BSEN60598-1:2015	Luminaires – Part 1: General requirements and tests
------------------	---

In Conformity with

LVD	Low voltage directive 2014/35/EU
ERP	Energy related products directive 2009/125/EC
RoHS	Restriction of hazardous substances 2011/65/EU

Product Dimensions



KSR Lighting is constantly developing and improving its products. For this reason, all product descriptions in this data sheet are intended as a general guide, and KSR may change specifications from time to time in the interest of product development, without prior notification or public announcement. All descriptions in this data sheet present only general particulars of the goods to which they refer and shall not form part of any contract. Data in this guide has been obtained in controlled experimental conditions. However, KSR Lighting cannot accept any liability arising from the reliance on such data to the extent permitted.