

# SANGAMO

Sangamo offer a wide range of heating and timer controls for domestic, commercial and industrial use.

Our reputation for quality and reliability is unrivalled.



Maintains the Set Temperature



**Energy Efficiency Rating** 



**Backlit Display** 



**RF Wireless Connection** 



Optimised for Optimum Start, Delayed Start and Delayed Stop




Service Interval Function



**Fuse Protected** 







#### **CHPRSTAT**

#### Electronic Room Thermostat

- Large Temperature Adjustment Dial
- Call for Heat Indication LED
- Electronic Sensor for Accurate and Responsive Performance
- TPI (Time Proportional & Integral) Control for Heating Efficiency
- 5°C to 30°C Set Temperature Range
- 0.5°C and 1°C Temperature Swing Adjustment
- 10A Switch Rating 240vAC







SANGAMO

### CHPRSTATT

## Tamper Proof Electronic Room Thermostat

- Large Temperature Adjustment Dial
- Tamper Resistance Cover with Security Torx Screw
- Electronic Sensor for Accurate and Responsive Performance
- TPI (Time Proportional & Integral) Control for Heating Efficiency
- 5°C to 30°C Set Temperature Range
- 0.5°C and 1°C Temperature Swing Adjustment
- 10A Switch Rating 240vAC





4

Choice+





#### **CHPRSTATE**

#### Electronic Frost Thermostat

- Electronic Sensor for Accurate and Responsive Performance
- Tamper Resistance Cover with Security Torx Screw
- -5°C to 30°C Set Temperature Range
- 0.5°C and 1°C Temperature Swing Adjustment
- 10A Switch Rating 240vAC







#### CHPRSTATDRF

## Wireless Electronic Room Thermostat with Digital Display

- Large Dial with Digital Display
- Wireless Communication Between Thermostat and Receiver
- Electronic Sensor for Accurate and Responsive Performance
- TPI (Time Proportional & Integral) Control for Heating Efficiency
- Comfort/Economy or ON/OFF Modes
- Battery Powered with Low Indication Status (Batteries Supplied)
- 5°C to 30°C Set Temperature Range
- 0.5°C and 1°C Temperature Swing Adjustment
- Frost Protection
- Transmission frequency: 433 Mhz (80m Open Field, 30m Indoor Transmission)
- 16A Receiver Contact Rating (Volt Free)









Choice+

#### **CHPRSTATD**

# Electronic Room Thermostat with Digital Display

- Large Dial with Digital Display
- Electronic Sensor for Accurate and Responsive Performance
- TPI (Time Proportional & Integral) Control for Heating Efficiency
- Comfort/Economy or ON/OFF Modes
- Battery Powered with Low Indication Status (Batteries Supplied)
- 5°C to 30°C Set Temperature Range
- 0.5°C and 1°C Temperature Swing Adjustment
- Frost Protection
- 3A Contact Rating (Volt Free)







#### CHPRSTATDP

#### 7 Day Programmable Room Thermostat

- 24 or 7 Day Programmable
- 6 Time/Temperature Events per Day
- Permanent, Timed and Temporary Override Features
- Pre-Programmed Schedule Ready for Use
- Electronic Sensor for Accurate and Responsive Performance
- TPI (Time Proportional & Integral) Control for Heating Efficiency
- Optimum Start / Delay Start and Delayed Stop for Additional Efficiency
- Summer/Winter Time Change
- Battery Powered with Low Indication- Status (Batteries Supplied)
- 5°C to 35°C Set Temperature Range
- 0.5°C and 1°C Temperature Swing Adjustment
- Frost Protection
- 3A Contact Rating (Volt Free)









Choice+



#### **CHPRSTATDPRF**

# Wireless Programmable Thermostat with Digital Display

- Wireless Communication Between Thermostat and Receiver
- 24 or 7 Day Programmable
- 6 Time/Temperature Events per Day
- Permanent, Timed and Temporary Override Features
- Pre- Programmed Schedule Ready for Use
- Electronic Sensor for Accurate and Responsive Performance
- TPI (Time Proportional & Integral) Control for Heating Efficiency
- Optimum Start / Delay Start and Delayed Stop for Additional Efficiency
- Battery Powered with Low Indication Status (Batteries Supplied)
- Summer/Winter Time Change
- 5°C to 35°C Set Temperature Range
- 0.5°C and 1°C Temperature Swing Adjustment
- Frost Protection
- Transmission frequency: 868Mhz (80m Open Field, 30m Indoor Transmission)
- Receiver 16A Switch Rating 240vAC


















### CHPPR1

1 Channel Programmer with Digital Display and Service Interval Function

- 24 Hour, 5/2 Day and 7 Day Programmable
- 2 or 3 ON/OFF Periods
- 1, 2 or 3 Hour Boost
- Holiday Mode
- Pre-Programmed Schedule Ready for Use
- Summer/Winter Time Change
- Backlit Display
- Suitable for Pumped Systems
- With/without Service Interval Function
- 2A Switch Rating 240vAC







### CHPPR3

3 Channel Programmer with Digital Display and Service Interval Function

- 24 Hour, 5/2 Day and 7 Day Programmable
- 2 or 3 ON/OFF Periods
- 1, 2 or 3 Hour Boost
- Holiday Mode
- Pre-Programmed Schedule Ready for Use
- Summer/Winter Time Change
- Backlit Display
- Suitable for pumped systems
- With/without Service Interval Function
- 2A Switch Rating 240vAC







### CHPPR2

2 Channel Programmer with Digital Display and Service Interval Function

- 24 Hour, 5/2 Day and 7 Day Programmable
- 2 or 3 ON/OFF Periods
- 1, 2 or 3 Hour Boost
- Holiday Mode
- Pre-Programmed Schedule Ready for Use
- Summer/Winter Time Change
- Backlit Display
- Suitable for pumped and gravity systems
- With/without Service Interval Function
- 2A Switch Rating 240vAC







10 11





#### **PSPB**

### 2 Hour Electronic Boost Timer

- 30 Mins, 1 Hour and 2 Hour Boost Function
- Clear Indication LEDs
- Single Gang Surface (Mount Box Included) or Flush Mounting
- 16A Switch Rating 240vAC



### **PSPBF**

# 2 Hour Electronic Boost Timer & Fused Spur

- 30 Mins, 1 Hour and 2 Hour Boost Function
- Clear Indication LEDs
- Single Gang Surface (Mount Box Included) or Flush Mounting
- Supplied with Replaceable BS1362 13A Fuse
- 13A Switch Rating 240vAC



12 13





Powersaver+

Powersaver+

### PSPS

## 7 Day Time Switch with Boost

- 24 Hour, 5/2 Day & 7 Day Cycles
- 10 On/Off Programs per Day
- Permanent Memory Reserve
- 15 mins, 30 mins, 1 Hour, 2 Hour, 4 Hour and 6 Hour Boost Function
- Clear Indication Display
- Button Lock Feature
- Summer / Winter time Change
- Single Gang Surface (Mount Box Included) or Flush Mounting
- 16A Switch Rating 240vAC



Powersaver+

### PSPSF247

# 7 Day Fused Spur Time Switch with Boost

- 24 Hour, 5/2 Day & 7 Day Programming
- 10 On/Off Programs per Day
- Permanent Memory Reserve
- 15 mins, 30 mins, 1 Hour, 2 Hour, 4 Hour and 6 Hour Boost Function
- Clear Indication Display
- Button Lock Feature
- Summer / Winter time Change
- Single Gang Surface (Mount Box Included) or Flush Mounting
- Supplied with Replaceable BS1362 13A Fuse
- 13A Switch Rating 240vAC





#### PSPSF24

# 24 Hour Fused Spur Time Switch with Boost

- 24 Hour Programming
- 10 On/Off Programs per Day
- Permanent Memory Reserve
- 15 mins, 30 mins, 1 Hour, 2 Hour, 4 Hour and 6 Hour Boost Function
- Clear Indication Display
- Button Lock Feature
- Summer / Winter time Change
- Single Gang Surface (Mount Box Included) or Flush Mounting
- Supplied with Replaceable BS1362 13A Fuse
- 13A Switch Rating 240vAC





14 15



Elite Security Products
Unit 7, Target Park,

Shawbank Road, Lakeside, Redditch B98 8YN Tel: +44 (0) 1527 51 51 50 Fax: +44 (0) 1527 51 51 43

info@espuk.com www.espuk.com Elite Security Products Ireland

Unit 1B, Three Rock Road, Sandyford Industrial Estate, Dublin, Ireland Tel: +353 (1) 5577 290 Fax: +353 (1) 2811 224

sales@espi.ie www.espi.ie Scolmore Dubai

Lake Central Tower, Office 1803, Business Bay, Dubai, UAE

UAE Office: +971 4589 6552 Mob: +971 52 451 1164 sales@scolmoredubai.com

www.scolmoredubai.com

E&OE - Errors and omissions excepted.

