

LTTD10WIFI - LEDlite Smart Wifi CCT Changeable 10w LED Fire Rated Downlight IP65 White Bezel



- APP Smart Control
- Solid Joist & I-Joist Fire Rated
- CCT Changeable
- Insulation Coverable
- Interchangeable Bezels (white included)
- Loop in/out connector
- IP65 Rated

LEDlite are proud to introduce this latest Smart Fire Rated CCT changeable down light to compliment the rest of the current series. Easy to connect single or multiple lights via our phone app (Smart Life) one can control dimming, timing, white colour variances etc. Group, Timer, DIY Scenes, Voice control and Schedule functions available. Its IP65 rating makes this a universal down light enabling it to be used in any room including a bathroom.

This top of the range down light boasts a powerful 750 lumens with white colours ranging from warm white to daylight (2000k to 6500k) switchable via the app. Coming with a white bezel as standard, its interchangeable magnetic bezels make it easy to choose the right colour finish for your décor.

This latest smart addition to our range is Fire Tested and Certified by Cambridge Fire Research Laboratories, for 30, 60 and 90 minutes solid joist and I-Joist (TrusJoist by Weyerhaeuser) ceilings. It is also certified to be IC Rated ensuring no adverse effects in performance or safety should it be covered with insulation.

We test the 'Absolute Photometry' of the complete fitting. We believe that independent testing is the only solution to resolve the current trend for publishing unverified and misleading LED Specifications.

LEDlite publishes the exact light output details of our fittings, which are confirmed by independent 3rd party test houses.



































6500K Light On/Off Timer Control

App Dimmable



Specifications:

- App Control: 2.4Ghz WiFi using Smart Life APP
- Compatible with Amazon Alexa & Google Home
- APP Light Control:
 - o ON/OFF
 - Dimming
 - CCT Changing
 - Grouping
 - o Timer/Schedule
- Voltage: 220-240VFrequency: 50/60Hz
- Power: 10W
- Lumen Output: up to 750lm
- Colour Changeable: 2000-6500K
- CRI: >80
- Power factor: >0.5
 Beam Angle: 40°
- Dimmable: Yes, through the APP (5-100%)
- Cut-Out: 70mm
- 30, 60 and 90 min Solid Joist and I-Joist Fire Rated
- IC Rated
- IP Rating: IP65
- Housing Material: Aluminium + PC
- Loop In/Out connector
- Interchangeable Magnetic Bezels available (White included)



230V



50Hz



IP65 Rated Fascia



CE Approved



BS 476 Part 21



IC Rated



90 mins



Part 'E' Compliant




Dimmable



70mm Ø


Dimensions(mm):

Downlight



Driver





L\\ \backsight \bac

Sharing the joy of technology

















Control from anywhere with the free "SMART LIFE" Connect app