

WDB's

WISKA Industrial Door Boxes

WISKA's Industrial door boxes, available in a range of sizes with opaque and clear lided options and secure lockable doors.



WDB 8


WDB 6

WDB 3

WDB 1



IP65 rated



Temperature resistant



WDB T8


WDB T6

WDB T3

WDB T1



Locking key included



Mounting plate included




WDB Plastic Door Enclosures

WDB 1 50107049

300 x 200 x 130


IP65, IK10, ABS, temperature range -35°C - 65°C, external fixing brackets, mounting plate and locking key included.



WDB 2 50107050

350 x 250 x 150.


IP65, IK10, ABS, temperature range -35°C - 65°C, external fixing brackets, mounting plate and locking key included.



WDB 3 50107051

400 x 300 x 170.

IP65, IK10, ABS, temperature range -35°C - 65°C, external fixing brackets, mounting plate and locking key included.



WDB 4 50107052

400 x 300 x 220,
IP65, IK10, ABS, temperature range -35°C - 65°C, external fixing brackets, mounting plate and locking key included



WDB 6 50107054

500 x 400 x 240,
IP65, IK10, ABS, temperature range -35°C - 65°C, external fixing brackets, mounting plate and locking key included



WDB 5 50107053

500 x 350 x 190,
IP65, IK10, ABS, temperature range -35°C - 65°C, external fixing brackets, mounting plate and locking key included



WDB 7 50107055

600 x 400 x 200,
IP65, IK10, ABS, temperature range -35°C - 65°C, external fixing brackets, mounting plate and locking key included



WDB 8 50107063

700 x 500 x 250,
IP65, IK10, ABS, temperature range -35°C - 65°C, external fixing brackets, mounting plate and locking key included



WDB 9 50107064


800 x 600 x 260,
IP65, IK10, ABS, temperature range -35°C - 65°C, external fixing brackets, mounting plate and locking key included

WDB Plastic Door Enclosures

WDB T1 50107056

300 x 200 x 130

IP65, IK10, ABS - door polycarbonate, temperature range -35°C - 65°C, external fixing brackets, mounting plate and locking key included.




IP65 rated IK10 Impact rating Temperature resistant Locking key included Mounting plate included



WDB T2 50107057

350 x 250 x 150

IP65, IK10, ABS - door polycarbonate, temperature range -35°C - 65°C, external fixing brackets, mounting plate and locking key included.




IP65 rated IK10 Impact rating Temperature resistant Locking key included Mounting plate included



WDB T3 50107058

400 x 300 x 170

IP65, IK10, ABS - door polycarbonate, temperature range -35°C - 65°C, external fixing brackets, mounting plate and locking key included.



IP65 rated IK10 Impact rating Temperature resistant Locking key included Mounting plate included



WDB T4

50107058

400 x 300 x 220

IP65, IK10, ABS - door polycarbonate, temperature range -35°C - 65°C, external fixing brackets, mounting plate and locking key included.



WDB T5

50107050

500 x 350 x 190

IP65, IK10, ABS - door polycarbonate, temperature range -35°C - 65°C, external fixing brackets, mounting plate and locking key included.



WDB T6

50107051

500 x 400 x 240

IP65, IK10, ABS - door polycarbonate, temperature range -35°C - 65°C, external fixing brackets, mounting plate and locking key included.



WDB T7

50107052

600 x 400 x 200

IP65, IK10, ABS - door polycarbonate, temperature range -35°C - 65°C, external fixing brackets, mounting plate and locking key included.



WDB 8

50107053

700 x 500 x 250

IP65, IK10, ABS - door polycarbonate, temperature range -35°C - 65°C, external fixing brackets, mounting plate and locking key included.

WDB

50107054

800 x 600 x 260

IP65, IK10, ABS - door polycarbonate, temperature range -35°C - 65°C, external fixing brackets, mounting plate and locking key included.

WDB Plastic Door Enclosures Module Kits



WDB K1
50107076

18 Modules, Suitable for WDB 2 / WDB T2,
ABS, temperature range -35°C - 65°C



WDB K2
50107077

24 Modules, Suitable for WDB 3 / WDB T3,
ABS, temperature range -35°C - 65°C



IP65 rated



High Impact
protection



Temperature
resistant



Interchangeable
Locks



Mounting
plate included



WDB K3
50107078

45 Modules, Suitable for WDB 4 / WDB T4,
ABS, temperature range -35°C - 65°C



WDB K4
50107079


60 Modules, Suitable for WDB 7 / WDB T7,
ABS, temperature range -35°C - 65°C



50017905

10112344

WISKA Industrial Boxes WDB's
accessories include interchangeable
locks and replaceable Mounting
Plates.



WDB SP1